




LED BULBS

More than 10 years of experience in LED

COMPANY INTRODUCTIONS

Ningbo COSMOS Lighting Co., Ltd is a high-tech manufacture of LED bulb, LED floodlight, LED outdoor lighting. Factory is located in the beautiful city of China—Ningbo. We are specialized in LED bulb, LED SMD spotlight, LED tube as well as LED project lamp. Since the company built, we hold the business tenet of "quality first, the supremacy of credibility" with elegant styling, exceptional performance, top-ranking skill and good after-sales service. Our products have been sold in Europe, North America, the Middle East, Africa and Southeast Asia and all the products are praised by all the customers.

At present, our employees are more than 300. There are more than 8 production line. In order to provide high quality and competitive price, our company has always focused on research, development and innovation.



SMART BULBS

LED bulbs A60 G45 E37 GU10



LED SMART Bulbs 3-step Dimmable Bulbs
RGBW Light Sensor



CRI>80



25000h




On&Off>15000



Energy Class




Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SBTA6027M07	A60	E27	7w	110-240v	595lm	240°	>0.5	φ60*119	50w
SBTA6027M09	A60	E27	9w	110-240v	765lm	200°	>0.5	φ60*119	55w



- 
CRI>80
- 
25000h
- 
On&Off>15000
- 
Energy Class
- 
Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EA6027M07	A60	E27	7w	110-240v	595lm	240°	>0.5	φ60*110	50w
EA6027M09	A60	E27	9w	110-240v	765lm	200°	>0.5	φ60*119	55w



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SLSA6027M07	A60	E27	7w	110-240v	595lm	240°	>0.5	φ60*119	50w
SLSA6027M09	A60	E27	9w	110-240v	765lm	200°	>0.5	φ60*119	55w



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SMSA6027M07	A60	E27	7w	110-240v	595lm	240°	>0.5	φ60*110	50w
SMSA6027M09	A60	E27	9w	110-240v	765lm	200°	>0.5	φ60*110	55w
SMSA6027L12	A60	E27	12w	110-240v	960lm	200°	>0.5	φ60*119	70w
SMSA6027L15	A60	E27	15w	110-240v	1200lm	200°	>0.5	φ60*119	90w



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
S3DC3714S05 S3DC3727S05	C37	E14 E27	5w	230v/110v	396lm	160°	>0.5	φ37*106 φ37*106	35w
S3DG4527S05 S3DG4514S05	G45	E14 E27	5w	230v/110v	396lm	160°	>0.5	φ45*81 φ45*78	35w
S3DR50M05		GU10	5w	230v/110v	400lm	200°	>0.5	φ50*57	35w
S3DA6027M09	A60	E27	9w	230v/110v	796lm	200°	>0.5	φ60*110	55w
S3DA6027L12	A60	E27	12w	230v/110v	1055lm	200°	>0.5	φ60*119	75w



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
S3CC3714S05 S3CC3727S05	C37	E14 E27	5w	230v/110v	396lm	160°	>0.5	φ37*106 φ37*106	35w
S3CG4527S05 S3CG4514S05	G45	E14 E27	5w	230v/110v	396lm	160°	>0.5	φ45*81 φ45*78	35w
S3CR50M05		GU10	5w	230v/110v	400lm	200°	>0.5	φ50*57	35w
S3CA6027M09	A60	E27	9w	230v/110v	796lm	200°	>0.5	φ60*110	55w
S3CA6027L12	A60	E27	12w	230v/110v	1055lm	200°	>0.5	φ60*119	75w



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SDCA6027M10	A60	E27	10w	230v/110v	806lm	200°	>0.5	φ60*110	60w
SDCA6027L12	A60	E27	12w	230v/110v	1055lm	200°	>0.5	φ60*119	75w
SDCA6027XL15	A60	E27	15w	230v/110v	1250lm	200°	>0.5	φ60*121	85w
SDCA6027XL15	A60	E27	17w	230v/110v	1521lm	200°	>0.5	φ60*126	100w

ECONOMIC BULBS

LED bulbs A60 7w 9w 10w 12w 15w 17w



*LED bulbs G45 E37 E14 E27 3W 5W 7W 8W
780 7100 7120 7140 7160*




EA6027M



EA6027L



EA6027XL



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EA6027M07	A60	E27	7w	230v/110v	595lm	240°	>0.5	φ60*110	50w
EA6027M09	A60	E27	9w	230v/110v	765lm	200°	>0.5	φ60*110	55w
EA6027M10	A60	E27	10w	230v/110v	806lm	200°	>0.5	φ60*110	60w
EA6027L12	A60	E27	12w	230v/110v	1055lm	200°	>0.5	φ60*119	75w
EA6027XL15	A60	E27	15w	230v/110v	1250lm	200°	>0.5	φ60*121	85w
EA6027XL15	A60	E27	17w	230v/110v	1521lm	200°	>0.5	φ60*126	100w



EA6527M



EA6027M



EA6027M



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EA6527M15	A65	E27	15w	230v/110v	1250lm	240°	>0.5	φ65*124	85w
EA7027M18	A70	E27	18w	230v/110v	1521lm	200°	>0.5	φ70*140	100w
EA8027M21	A80	E27	21w	230v/110v	1800lm	200°	>0.5	φ80*147	120w



EG4514S



EG4527S



EG4514L



EG4527L



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EG4514S04 EG4527S04	G45	E14 E27	4w	230v/110v	323lm	160°	>0.5	φ45*81 φ45*78	30w
EG4527S05 EG4514S05	G45	E14 E27	5w	230v/110v	396lm	160°	>0.5	φ45*81 φ45*78	35w
EG4527M06 EG4514M06	G45	E14 E27	6w	230v/110v	480lm	160°	>0.5	φ45*82 φ45*83	40w
EG4514L07 EG4527L07	G45	E14 E27	7w	230v/110v	560lm	160°	>0.5	φ45*82 φ45*83	45w



EC37T14M



EC3714M



EC3727M



EC3727L



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EC3714S04 EC37T14S04 EC3727S04	C37	E14 E14 E27	4w	230v/110v	323lm	160°	>0.5	φ37*106 φ37*133 φ37*106	30w
EC3714S05 EC37T14S05 EC3727S05	C37	E14 E14 E27	5w	230v/110v	396lm	160°	>0.5	φ37*106 φ37*133 φ37*106	35w
EC3714M06 EC37T14M06 EC3727M06	C37	E14 E14 E27	6w	230v/110v	480lm	160°	>0.5	φ37*106 φ37*133 φ37*106	40w
EC3714L07 EC37T14L07 EC3727L07	C37	E14 E14 E27	7w	230v/110v	560lm	160°	>0.5	φ37*106 φ37*133 φ37*106	45w



ET120F27



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
ET70F27	T70	E27	15w	230v/110v	1350lm	270°	>0.5	φ70*119	75w
ET80F27	T80	E27	20w	230v/110v	1800lm	270°	>0.5	φ80*149	100w
ET100F27	T100	E27	30w	230v/110v	2700lm	270°	>0.9	φ100*179	150w
ET120F27	T120	E27	40w	230v/110v	3600lm	270°	>0.9	φ120*205	200w
ET140F27	T140	E27	50w	230v/110v	4500lm	270°	>0.9	φ140*230	250w
ET160F27	T160	E27	60w	230v/110v	5400lm	270°	>0.9	φ160*274	300w

LUXURIOUS BULBS

LED bulbs A60 7w 9w 10w 12w 15w 17w



*LED bulbs Aluminum 90lm/w 100lm/w
Ceramic Bulbs 9w 900lm*



LC37T14M



LC3714M



LG4514M



LG4527M



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
LG4514M08 LG4527M08	G45	E14 E27	8w	230v/110v	806lm	160°	>0.5	φ45*90 φ45*84	60w
LG4514M09 LG4527M09	G45	E14 E27	9w	230v/110v	900lm	160°	>0.5	φ45*90 φ45*84	65w
LC3714M08 LC37T14M08	C37	E14 E14	8w	230v/110v	806lm	160°	>0.5	φ37*110 φ37*134	60w
LC3714M09 LC37T14M09	C37	E14 E14	9w	230v/110v	900lm	160°	>0.5	φ37*110 φ37*134	65w



LPA60



LPA70



LPA80



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
LPA602716	A60	E27	16w	230v/110v	1521lm	240°	>0.5	φ60*110	100w
LPA702718	A70	E27	18w	230v/110v	1800lm	200°	>0.5	φ70*145	120w
LPA802722	A80	E27	22w	230v/110v	2200lm	200°	>0.5	φ80*160	145w



LT100A27



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
LT80A2720	T80	E27	20w	230v/110v	1800lm	270°	>0.5	φ80*150	100w
LT100A2730	T100	E27	30w	230v/110v	2700lm	270°	>0.9	φ100*185	150w
LT120A2740	T120	E27	40w	230v/110v	3600lm	270°	>0.9	φ120*212	200w
LT140A2750	T140	E27	50w	230v/110v	4500lm	270°	>0.9	φ140*212	250w
LT150S2760	T150	E27	60w	230v/110v	5400lm	270°	>0.9	φ150*260	300w



LCG125


RA
CRI>80

25000h

On&Off>15000

A+
Energy Class

IP20
Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
LCG1202735	G120	E27	35w	230v/110v	3500lm	270°	>0.5	φ120*175	250w

FILAMENT BULBS

LED bulbs A60 4W 6W 8W 100lm/watt



*Filament LED bulbs G45 E37 E14 E27 2w 4w
T64 A60 G120 6w 8w*



FGT6427



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
FGT642704	T64	E27	4w	230v/110v	400lm	300°	>0.5	φ64*119	30w
FGT642706	T64	E27	6w	230v/110v	600lm	300°	>0.5	φ64*121	45w
FGT642708	T64	E27	8w	230v/110v	800lm	300°	>0.5	φ64*126	60w



FG4514M

FG4527M

FA6027M

FG4527M

FC37T14M

FC3727M



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
FG4514M08 FG4527M08	G45	E14 E27	2w	230v/110v	200lm	360°	>0.5	φ45*79 φ45*73	15w
FG4514M09 FG4527M09	G45	E14 E27	4w	230v/110v	400lm	360°	>0.5	φ45*79 φ45*73	30w
FC3714M08 FC37T14M08	C37	E14 E14	2w	230v/110v	200lm	360°	>0.5	φ37*98 φ37*108	15w
FC3714M09 FC37T14M09	C37	E14 E14	4w	230v/110v	400lm	360°	>0.5	φ37*98 φ37*108	30w
FA6027M06	A60	E27	6w	230v/110v	600lm	360°	>0.5	φ60*106	45w
FA6027M08	A60	E27	8w	230v/110v	800lm	360°	>0.5	φ60*106	60w
FG12027M08	A60	E27	8w	230v/110v	800lm	360°	>0.5	φ120*165	60w

REFLECTORS

LED bulbs GU10 3w 5w 6w 7w 8w 9w



*LED bulbs GU10 MR 16 PAR 20 PAR 30 PAR 38
AR111 GX53 R63*



RS50L10M



RS50L16M



RS5010M



RS5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RS5010M03 RS5016M03	GU10 GU5.3	3w	230v/110v 12v	240lm	120°	>0.5	φ50*57 φ50*50	20w
RS5010M05 RS5016M05	GU10 GU5.3	5w	230v/110v 12v	400lm	120°	>0.5	φ50*57 φ50*50	35w
RS5010M06 RS5016M06	GU10 GU5.3	6w	230v/110v 12v	480lm	120°	>0.5	φ50*57 φ50*50	40w
RS5010M07 RS5016M07	GU10 GU5.3	7w	230v/110v 12v	560lm	120°	>0.5	φ50*57 φ50*50	45w
RS50L10M05 RS50L16M05	GU10 GU5.3	5w	230v/110v 12v	400lm	38°	>0.5	φ50*57 φ50*50	35w
RS50L10M06 RS50L16M06	GU10 GU5.3	6w	230v/110v 12v	480lm	38°	>0.5	φ50*57 φ50*50	40w
RS50L10M07 RS50L16M07	GU10 GU5.3	7w	230v/110v 12v	560lm	38°	>0.5	φ50*57 φ50*50	45w



RG50L10M



RG5010M



RG5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RG5010M03	GU10	3w	230v/110v 12V	240lm	120°	>0.5	φ50*57 φ50*50	20w
RG5016M03	GU5.3							
RG5010M04	GU10	4w	230v/110v 12V	320lm	120°	>0.5	φ50*57 φ50*50	30w
RG5016M04	GU5.3							
RG5010M05	GU10	5w	230v/110v 12V	240lm	120°	>0.5	φ50*57 φ50*50	35w
RG5016M05	GU5.3							
RG50L10M05	GU10	5w	230v/110v	320lm	38°	>0.5	φ50*57	35w



RL50L10M



RL50L16M



RL5010M



RL5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RL50L10M08 RL50L16M08	GU10 GU5.3	8w	230v/110v 12V	806lm	38°/60°	>0.5	φ50*57 φ50*50	60w
RL50L10M09 RL50L16M09	GU10 GU5.3	9w	230v/110v 12V	900lm	38°/60°	>0.5	φ50*57 φ50*50	65w
RL5010M08 RL5016M08	GU10 GU5.3	8w	230v/110v 12V	806lm	120°	>0.5	φ50*57 φ50*50	60w
RL5010M09 RL5016M09	GU10 GU5.3	9w	230v/110v 12V	900lm	120°	>0.5	φ50*57 φ50*50	65w



RP93WS



RP90WC




GU10 Lamp Holder



RP93WDS



RP93WTS



Item No.	Material	Size(mm)	Cut hole(mm)
RP93WS	Plastic	93*93*25	75-85
RP90WC	Plastic	φ90*25	75-85
RP93WDS	Plastic	173*93*212	180*80
RP93WTS	Plastic	252*93*27	240*80



RPAR20C27



RPAR30C27



RPAR38C27



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RPAR20C2708	Par20	E27	8w	230v/110v	700lm	38°	>0.5	φ63*82	60w
RPAR30C2712	Par30	E27	12w	230v/110v	1080lm	38°	>0.5	φ95*95	75w
RPAR38C2716	Par38	E27	16w	230v/110v	1440lm	38°	>0.5	φ120*128	100w



RPAR20S27



RPAR30S27



RPAR38S27



CRI>80



25000h






On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RPAR20S2708	Par20	E27	8w	230v/110v	700lm	120°	>0.5	φ63*91	60w
RPAR30S2712	Par30	E27	12w	230v/110v	1080lm	120°	>0.5	φ95*100	75w
RPAR38S2716	Par38	E27	16w	230v/110v	1440lm	120°	>0.5	φ120*138	100w



RR3914

RR5014

RR6327

RR6327



CRI>80



25000h






On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RR391405	R39	E14	5w	230v/110v	400lm	120°	>0.5	φ39*67	35w
RR501408	R50	E14	8w	230v/110v	640lm	120°	>0.5	φ50*85	45w
RR632710	R63	E27	10w	230v/110v	720lm	120°	>0.5	φ63*100	70w
RR802712	R80	E27	12w	230v/110v	960lm	120°	>0.5	φ80*113	70w



NINGBO COSMOS LIGHTING Co.,Ltd.

No.28 Xingbin Road,Zhongyi Ningbo Ecological Park,
Yuyao,Zhejiang,China

Tel: 0086 574 6279 8850

Mail:info@cosmos-light.com